



BD Life Sciences
7 Loveton Circle
PO Box 999
Sparks, MD 21152

bd.com

July 2025

Dear Valued BD Customer,

On September 27, 2024, a Field Action Notice was issued for specific lots of SKU 231263 BD BBL™ Sensi Disc Ampicillin 2µg. As part of BD's Corrective and Preventative Action (CAPA) quality processes, our R&D teams worked on the CAPA recommendation to reduce the shelf life/ expiration date from 24 months to 12 months to address a potential potency reduction.

For several months we have experienced supply interruptions of SKU 231263 BD BBL™ Sensi Disc Ampicillin 2µg and despite our continuous R&D efforts, we have not been able to meet the desired performance criteria with reduced expiration dating. Therefore, the decision has been made to discontinue SKU 231263 BD BBL™ Sensi Disc Ampicillin 2µg (AM-2). We understand the challenge this supply interruption has caused and thank you for your patience as we've worked to resolve these issues.

BD appreciates and values your business. We apologize for any inconvenience this may cause. To best serve you, all inquiries and requests should be directed through your local sales representative or by contacting BD Technical services by email at Technical_Services@bd.com.

Thank you for your continued support of the BD ID/AST Products.

Sincerely,

A handwritten signature in black ink that reads "Vishal" with a stylized flourish at the end.

Vishal Pant
Global Product Manager, Media and Core Microbiology and ID/AST
BD Life Sciences – Diagnostic Solutions