



Confidence built
into every step.

SureStep™ Intermittent Catheter Tray




Intermittent catheterization should support efficient, consistent care.

Healthcare teams work in fast-paced environments where maintaining procedural consistency is critical.

Yet workflow variability, crowded care environments, and unnecessary complexity can create challenges during routine intermittent catheterization procedures.

The clinical challenge

Workflow variability




Differences in collection and drainage workflows can increase procedural complexity.

Competing priorities



Clinicians manage numerous patient care responsibilities throughout the day while striving to deliver high-quality care.

Procedure confidence



Every step should support confidence in the care being delivered.

Confidence matters.

When clinicians have confidence in the workflow, they can focus more fully on the patient.

Designed around clinical feedback.

The redesigned SureStep™ Intermittent Catheter Tray incorporates feedback from bedside nurses, educators, infection prevention stakeholders, and clinical leaders to help support workflow consistency, efficiency, and confidence throughout intermittent catheterization.


Four design improvements

Confidence in preparation

A streamlined tray design helps support efficient setup and organization.

Confidence in sample collection

Sample port placement above the drainage bag supports urine collection workflow consistency.



Confidence in drainage management

The T-valve supports intuitive operation and confidence in valve position.

Confidence in workflow

Purposeful design improvements help reduce unnecessary complexity while supporting workflow consistency.

Nurses unanimously agree the SureStep™ Intermittent Catheter Tray standardizes practice across Foley and intermittent catheter insertion.*

Designed around what matters most.

The redesigned SureStep™ Intermittent Catheter Tray reflects what clinicians told us matters most:

- » Workflow consistency
- » Greater efficiency
- » Confidence in urine collection
- » Confidence in drainage management
- » Focus on patient care



Learn how the redesigned SureStep™ Intermittent Catheter Tray can help support confident care.

*Simulated Use Study, March 2026, N=15 nurses, BD sponsored.

Indications: For urological use only.

Single Use Only. Do not re-sterilize. For urological use only.

Cautions: Federal (U.S.A.) law restricts this device to sale by or on the order of a physician.

Warnings: On catheter, do not use ointments or lubricants having a petrolatum base. They will damage the catheter. After use, this product may be a potential biohazard. Handle and dispose of in accordance with accepted medical practices and applicable local, state and federal laws and regulations. Visually inspect the product for any imperfections or surface deterioration prior to use. If package is opened or if any imperfection or surface deterioration is observed, do not use.

Please consult package insert for more detailed safety information and instructions for use.

C. R. Bard, Inc., Covington, GA, 30014, U.S.
844.823.5433

[bd.com](https://www.bd.com)

BD, the BD Logo and SureStep are trademarks of Becton, Dickinson and Company or its affiliates.
© 2026 BD and its subsidiaries. All rights reserved. TSK-4601 BD-182761

