

# ChloraPrep® One-step 10.5mL Applicator

Chlorhexidine gluconate 2% w/v and  
isopropyl alcohol 70% v/v  
Patient Preoperative Skin Preparation





**WARNING. FLAMMABLE.**  
**KEEP AWAY FROM FIRE OR FLAME.**

## 10.5mL Applicator

Cat No. 260700

Applicator is sterile if package is intact

Single Use

<b>⚠ WARNING FLAMMABLE</b>		<b>ChloraPrep® One-Step ChloraPrep® With Tint</b>  2% w/v chlorhexidine gluconate (CHG) and 70% v/v isopropyl alcohol (IPA) Patient Preoperative Skin Preparation <b>Non-sterile Solution</b> <b>Applicator is sterile if package is intact</b>  <b>10.5 ml APPLICATOR</b> 
 <b>Keep away from fire or flame.</b> <b>To reduce risk of fire, PREP CAREFULLY:</b> <ul style="list-style-type: none"> <li>• solution contains alcohol and gives off <b>flammable vapors</b></li> <li>• avoid getting solution into hairy areas. Hair may take up to 1 hour to dry. <b>Wet hair is flammable.</b></li> <li>• do not drape or use ignition source (e.g., cautery, laser) until solution is completely dry (minimum of 3 minutes on hairless skin; up to 1 hour in hair)</li> <li>• do not allow solution to pool</li> <li>• remove wet materials from prep area</li> </ul>		
<b>Drug Facts</b>		Professional Use Only  Do Not Reuse  Not made with natural rubber latex Cat. No. 260700 / 260700NS / 260700NSB      NDC 054365-400-04 Cat. No. 260715 / 260715NS / 260715NSB      NDC 054365-400-12 Cat. No. 260725 / 260725NS / 260725NSB      NDC 054365-400-09
<b>Active ingredients</b> Chlorhexidine gluconate 2% w/v..... Isopropyl alcohol 70% v/v.....		<b>Purposes</b> .....Antiseptic .....Antiseptic
<b>Use</b> for the preparation of the patient's skin prior to surgery. Helps to reduce bacteria that potentially can cause skin infection.		
<b>Warnings</b> <b>For external use only. Flammable, keep away from fire or flame. To reduce risk of fire, PREP CAREFULLY</b> <ul style="list-style-type: none"> <li>■ solution contains alcohol and gives off <b>flammable vapors</b></li> <li>■ avoid getting solution into hairy areas. Hair may take up to 1 hour to dry. <b>Wet hair is flammable.</b></li> <li>■ do not drape or use ignition source (e.g., cautery, laser) until solution is completely dry (minimum of 3 minutes on hairless skin; up to 1 hour in hair)</li> <li>■ do not allow solution to pool</li> <li>■ remove wet materials from prep area</li> </ul>		
<b>Do not use</b> <ul style="list-style-type: none"> <li>■ on patients with known allergies to chlorhexidine gluconate or isopropyl alcohol</li> <li>■ for lumbar puncture or in contact with the meninges</li> <li>■ on open skin wounds or as a general skin cleanser</li> </ul>		

<b>ChloraPrep® One-Step / ChloraPrep® With Tint</b> 2% w/v chlorhexidine gluconate (CHG) and 70% v/v isopropyl alcohol (IPA)	
<b>Drug Facts (continued)</b>	
<b>When using this product</b> keep out of eyes, ears, and mouth. May cause serious or permanent injury if permitted to enter and remain. If contact occurs, rinse with cold water right away and contact a doctor.	
<b>Stop use and ask a doctor</b> if irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> <ul style="list-style-type: none"> <li>■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</li> <li>■ use in a well ventilated area</li> <li>■ maximal treatment area for one applicator is approximately 8.4 in. x 8.4 in. (457 cm<sup>2</sup>)</li> <li>■ remove applicator from package; do not touch sponge</li> <li>■ hold the applicator with the sponge down. Pinch wings <b>only once</b> to activate the ampule and release the antiseptic.</li> <li>■ wet the sponge by pressing and releasing the sponge against the treatment area until liquid is visible on the skin</li> <li>■ completely wet the treatment area with antiseptic</li> <li>■ <b>dry surgical sites</b> (e.g., abdomen or arm): use gentle repeated back-and-forth strokes for 30 seconds</li> <li>■ <b>moist surgical sites</b> (e.g., inguinal fold): use gentle repeated back-and-forth strokes for 2 minutes</li> <li>■ do not allow solution to pool; tuck prep towels to absorb solution, and then remove</li> <li>■ <b>allow the solution to completely dry</b> (minimum of 3 minutes on hairless skin; up to 1 hour in hair). Do not blot or wipe away.</li> <li>■ discard the applicator after a single use along with any portion of the solution not required to cover the prep area. It is not necessary to use the entire amount available.</li> </ul>	
<b>Other information</b> ■ store between 15–30 °C (59–86 °F) ■ avoid freezing and excessive heat above 40 °C (104 °F) ■ the tint will slowly fade from the skin. Soap and water, or alcohol may be used to remove the tint if desired.	
<b>Inactive ingredients</b> FD&C green #3 dye (Scrub-Teal applicators only), FD&C yellow #6 dye (Hi-Lite Orange applicators only), USP purified water	
<b>Questions?</b> ■ www.chloraprep.com ■ call 1-800-523-0502 (M-F 8 a.m.–5 p.m. CST)	
CareFusion, El Paso, TX 79912 · Artwork No. 6-640248 · KXXXX · Made in the USA of US and imported parts	

