

## ChloraPrep® With Tint 26mL Applicator

Chlorhexidine gluconate 2% w/v and  
isopropyl alcohol 70% v/v  
Patient Preoperative Skin Preparation


**WARNING. FLAMMABLE.**  
**KEEP AWAY FROM FIRE OR FLAME.**

### 26mL Applicator

Cat No. 260825

Applicator is sterile if package is intact

Single Use

<b>⚠ WARNING FLAMMABLE</b>	<h2>ChloraPrep® One-Step ChloraPrep® With Tint</h2> <p>2% w/v chlorhexidine gluconate (CHG) and 70% v/v isopropyl alcohol (IPA) Patient Preoperative Skin Preparation <b>Non-sterile Solution</b> <b>Applicator is sterile if package is intact</b> <b>26 ml APPLICATOR</b></p> <p>Professional Use Only    Do Not Reuse    Not made with natural rubber latex</p> <p>Cat. No. 260800 / 260800NS / 260800NSB    NDC 054365-400-14 Cat. No. 260815 / 260815NS / 260815NSB    NDC 054365-400-13 Cat. No. 260825 / 260825NS / 260825NSB    NDC 054365-400-05</p>						
 <p><b>Keep away from fire or flame.</b> <b>To reduce risk of fire, PREP CAREFULLY:</b></p> <ul style="list-style-type: none"> <li>do not use 26-ml applicator for head and neck surgery or on an area smaller than 8.4 in. x 8.4 in. Use a smaller applicator instead.</li> <li>solution contains alcohol and gives off <b>flammable vapors</b></li> <li>avoid getting solution into hairy areas. Hair may take up to 1 hour to dry. <b>Wet hair is flammable.</b></li> <li>do not drape or use ignition source (e.g., cautery, laser) until solution is completely dry (minimum of 3 minutes on hairless skin; up to 1 hour in hair)</li> <li>do not allow solution to pool</li> <li>remove wet materials from prep area</li> </ul>							
<h3>Drug Facts</h3> <table border="0"> <tr> <td><b>Active ingredients</b></td> <td><b>Purposes</b></td> </tr> <tr> <td>Chlorhexidine gluconate 2% w/v.....</td> <td>Antiseptic</td> </tr> <tr> <td>Isopropyl alcohol 70% v/v.....</td> <td>Antiseptic</td> </tr> </table> <p><b>Use</b> for the preparation of the patient's skin prior to surgery. Helps to reduce bacteria that potentially can cause skin infection.</p> <p><b>Warnings</b></p> <p><b>For external use only. Flammable, keep away from fire or flame. To reduce risk of fire, PREP CAREFULLY:</b></p> <ul style="list-style-type: none"> <li>do not use 26-ml applicator for head and neck surgery</li> <li>do not use on an area smaller than 8.4 in. x 8.4 in. Use a smaller applicator instead</li> <li>solution contains alcohol and gives off <b>flammable vapors</b></li> <li>avoid getting solution into hairy areas. Hair may take up to 1 hour to dry. <b>Wet hair is flammable.</b></li> <li>do not drape or use ignition source (e.g., cautery, laser) until solution is completely dry (minimum of 3 minutes on hairless skin; up to 1 hour in hair)</li> <li>do not allow solution to pool</li> <li>remove wet materials from prep area</li> </ul>		<b>Active ingredients</b>	<b>Purposes</b>	Chlorhexidine gluconate 2% w/v.....	Antiseptic	Isopropyl alcohol 70% v/v.....	Antiseptic
<b>Active ingredients</b>	<b>Purposes</b>						
Chlorhexidine gluconate 2% w/v.....	Antiseptic						
Isopropyl alcohol 70% v/v.....	Antiseptic						

<h2>ChloraPrep® One-Step / ChloraPrep® With Tint</h2> <p>2% w/v chlorhexidine gluconate (CHG) and 70% v/v isopropyl alcohol (IPA)</p>	
<p><b>Drug Facts</b> (continued)</p> <p><b>Do not use</b></p> <ul style="list-style-type: none"> <li>on patients with known allergies to chlorhexidine gluconate or isopropyl alcohol</li> <li>for lumbar puncture or in contact with the meninges</li> <li>on open skin wounds or as a general skin cleanser</li> </ul> <p><b>When using this product</b> keep out of eyes, ears, and mouth. May cause serious or permanent injury if permitted to enter and remain. If contact occurs, rinse with cold water right away and contact a doctor.</p> <p><b>Stop use and ask a doctor if</b> irritation, sensitization, or allergic reaction occurs. These may be signs of a serious condition.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.</li> <li>use in a well ventilated area</li> <li>maximal treatment area for one applicator is approximately 13.2 in. x 13.2 in. (1126 cm<sup>2</sup>).</li> <li>remove applicator from package; do not touch sponge</li> <li>hold the applicator with the sponge down. Pinch wings <b>only once</b> to activate the ampules and release the antiseptic.</li> <li>wet the sponge by pressing and releasing the sponge against the treatment area until liquid is visible on the skin</li> <li>completely wet the treatment area with antiseptic</li> <li><b>dry surgical sites</b> (e.g., abdomen or arm): use gentle repeated back-and-forth strokes for 30 seconds</li> <li><b>moist surgical sites</b> (e.g., inguinal fold): use gentle repeated back-and-forth strokes for 2 minutes</li> <li>do not allow solution to pool; tuck prep towels to absorb solution, and then remove</li> <li><b>allow the solution to completely dry</b> (minimum of 3 minutes on hairless skin; up to 1 hour in hair). Do not blot or wipe away.</li> <li>discard the applicator after a single use along with any portion of the solution not required to cover the prep area. It is not necessary to use the entire amount available.</li> </ul> <p><b>Other information</b> ■ store between 15–30 °C (59–86 °F) ■ avoid freezing and excessive heat above 40 °C (104 °F) ■ the tint will slowly fade from the skin. Soap and water, or alcohol may be used to remove the tint if desired.</p> <p><b>Inactive ingredients</b> FD&amp;C green #3 dye (Scrub-Teal applicators only), FD&amp;C yellow #6 dye (Hi-Lite Orange applicators only), USP purified water</p> <p><b>Questions?</b> ■ <a href="http://www.chloraprep.com">www.chloraprep.com</a> ■ call 1-800-523-0502 (M-F 8 a.m.–5 p.m. CST)</p>	
<p>CareFusion, El Paso, TX 79912 · Artwork No. 6-775815 · JXXXX · Made in the USA of US and imported parts</p>	

